## Suspected Urinary Tract Infection (UTI) in Long-Term Care Residents

## Signs & Symptoms of a UTI

**For Residents Without** 

For Residents With a

a Urinary Catheter	Orinary Catheter or if
Dysuria  OR  Fever (>100°F or >2°F above baseline)  AND at least one of the following symptoms that is new or worsening: Urgency Frequency Suprapubic pain Gross hematuria Costovertebral angle	Nonverbal One or more of the following without another recognized cause:  Fever (>100°F or a 2°F increase from baseline)  New costovertebral angle tenderness Rigors New-onset delirium*  *If adequate workup for other causes of delirium has been
tenderness	performed and no other cause for
☐ Urinary incontinence	delirium is identified
a ormary meditamente	
Send a urinalysis (UA) & urine culture (UCx) Increase hydration Start antibiotics before UA and UCx results, if resident appears ill If UA & UCx are positive and the resident has ongoing UTI symptoms, modify antibiotics or start antibiotics (if not receiving active antibiotics)	
Do NOT Send a Urinalysis and Urine Culture:  If the urine is foul smelling or cloudy, without other urinary symptoms Routinely after urethral catheter change Routinely upon admission  After treatment to "document care" or "test of cure"  For mental status changes (without vital sign changes or urinary symptoms for noncatheterized residents)	
W- Arm to the transfer of VA W U.S. Department of Verenza Affairs	

## References

Ashraf MS, Gaur S, Bushen O, et al. Diagnosis, Treatment, and Prevention of Urinary Tract Infections in Post-Acute and Long-Term Care Settings: A Consensus Statement from AMDA's Infection Advisory Subcomittee. J Am Med Dir Assoc. 2020 Jan;21(1):12-24. PMID 31888862.

Hooton TM, Bradley SF, Cardenas DD, et al. Diagnosis, prevention, and treatment of catheter associated urinary tract infection in adults: 2009 international clinical practice guidelines from the Infectious Diseases Society of America. Clin Infect Dis. 2010 Mar;50(5): 625-63. PMID: 20175247.

Jump RLP, Crnich CJ, Mody L, et al. Infectious diseases in older adults of long-term care facilities: update on approach to diagnosis and management. J Am Geriatr Soc. 2018 Apr 66(4):789-803. PMID: 29667186.

Loeb M, Bentley DW, Bradley S, et al. Development of minimum criteria for the initiation of antibiotics in residents of long-term-care facilities: Results of a consensus conference. Infect Control Hosp Epidemiol 2001;22:120-4. PMID: 11232875.

Nace DA, Perera SK, Hanlon JT, et al. The Improving Outcomes of UTI Management in Long-Term Care Project (IOU) consensus guidelines for the diagnosis of uncomplicated cystitis in nursing home residents. J Am Med Dir Assoc 2018;19:765-9. PMID: 30037743.

Nicolle LE, Gupta K, Bradley SF, et al. Clinical practice guideline for the management of asymptomatic bacteriuria: 2019 update by the Infectious Diseases Society of America. Clin Infect Dis. 2019 May 15:68(10):e83-110.PMID: 30895288.

Stone ND, Ashraf MS, Calder J, et al. Surveillance definitions of infections in long-term care facilities: revisiting the McGeer criteria. Infect Control Hosp Epidemiol. 2012 Oct; 33(10):965–77. PMID: 22961014.

AHRQ Pub. No. 17(21)-0029

June 2021







