Respiratory Infections in Post-Acute and Long-Term Care

Philip D. Sloane, MD, MPH

Elizabeth and Oscar Goodwin Distinguished Professor of Family Medicine

Co-Director, Program on Aging, Disability, and Long-Term Care,
Cecil G. Sheps Center for Health Services Research
University of North Carolina
Chapel Hill, North Carolina



April 15, 2024





1

Topics to Be Covered

- 1. Principles of geriatric medicine relevant to respiratory infection
- 2. How The COVID-19 pandemic has changed the way we think about respiratory infections
- 3. Other common respiratory infections to know and understand

Principles
of Geriatric Medicine
that are
Especially Relevant to
Respiratory Infections

3

Average "Normal" Temperature is 97.7, not 98.6, and the Fever Threshold Should Be 99.0, not 100.4° Graph 1: Distribution of Routine (Non-Illness) Temperatures on 1,948 Nursing Home Patients 10 8 Routine Temperature 1 Curve Normal(Mu=97.699 Sigma=0.68)

Antibiotic Stewardship is Important

- Nursing homes have a higher prevalence of multidrug resistant organisms than hospitals
- Prescribing antibiotics "just in case" is no longer accepted practice
- Major targets for antibiotic stewardship:
 - 1. "Urine infection" this isn't an infection
 - 2. "Bronchitis" and "sinusitis" that isn't bacterial
 - 3. "Cellulitis" that isn't cellulitis
 - 4. Antibacterial treatment of COVID

5

Mobile Chest-X-Ray Limitations



- Many residents can't sit up or stay stable
- Portable cameras don't take great pictures
- Lack of previous films for comparison
- Radiologists disagree frequently on
 - the presence or absence of infiltrates (K = 0.54)
 - ➤ pleural effusions (K = 0.8)
 - → hilar lymphadenopathy (K = 0.54)
 - mediastinal lymphadenopathy (K =0.49)

Loeb MB, et al. JAMDA 2006; 7: 2006, 7:416–419 Drinka PJ, et al. J AMDA 2006;7:467-469

Aspiration Happens Frequently



- Up to 68% of NH residents aspirate
- Sign: cough after swallowing
- Usually clears without developing pneumonia
 But....
- Aspiration pneumonia is common in NH

7

Thickened Liquids Can't Prevent Aspiration



- Evidence does not support belief that thickened liquids reduce aspiration or pneumonia
- Diet modification leads to poor intake and greater use of supplements
- Posture adjustment (e.g. chin tuck) – limited benefit

Bottom line: Individualize, but do not torture residents

Bad Teeth Are Linked to Pneumonia

- Poor oral health → bacterial pathogens
- Bacteria get inhaled → aspiration pneumonia



9

Mouth Care Without a Battle ©

Individualized Mouth Care for Persons with Cognitive and Physical Impairment



- * Module 1: Basic Techniques
- * Module 2: Managing Behavioral Challenges
- * Module 3: Nurse Supervisor Training

Module 4: Short Overview for Administrators / Advocates

* Continuing education credit available

More information: <u>mouthcarewithoutabattle.org</u>

Cough Scares Nurses, Providers, and Families, Leading to Overtreatment

Research Result: Cough Alone
Increases 3x the likelihood of a LTC
Resident Getting Antibiotics

11

How COVID Has Increased our Sophistication about Respiratory Infections

Different Viruses Spread Differently

<u>Infection</u> <u>How It Spreads</u> <u>Key to Prevention</u>

Influenza Cough → Droplets - Droplet precautions

Cold Viruses Face \rightarrow Hand \rightarrow Surface; - Hand washing, surgical

Sneeze → Droplets mask

Norovirus Butt → Hand → Surface - Hand washing

COVID-19 Breath → Microdroplets - Airborne precautions

13

The R₀ and Mortality Rate Determine Seriousness of an Infection

	Common Cold	Influenza	COVID-19 (unvaccinated)
Contagiousness (R ₀)	6.0	1.3	Between 2.5 & 8
Overall Deadliness (Mortality)	0%	0.05%	Around 0.5% *

^{*} Close to 0.05% with Vaccination and boosters

A Nursing Home is Like a Cruise Ship

- High population density
- Lots of contact with others and the environment
- Many are old and high risk







Implications


- Infection control very important
- · Infections can spread quickly


15


The Amazing Disappearance of Seasonal Flu in 2020-1 Because of Mask Use and Social Distancing




















We <u>Can</u> (and Should) Treat COVID-19 in the Nursing Home

- Diagnose, monitor and support all patients with COVID-19 illness
- Paxlovid for mild to moderate COVID-19 in high- risk patients
- Indications for hospitalization
 - Oxygen requirement increasing (typically beyond 6 L/min)
 - Testing needed that is not available in the NH

Lessons from COVID to Apply in the Future

- Infection control measures WILL keep viruses out of facilities
 - ✓ Have all staff wear masks as soon as flu or COVID is in your community.
 - ✓ Screen visitors for symptoms and temperature
- Because rapid COVID testing has been helpful:
 - ✓ Have rapid COVID and Flu testing capacity in the future; possibly for other viruses as well
- Because antibiotics continue to be overprescribed:
 - ✓ Work harder with medical staff to develop and use prescribing guidelines.
- Because antivirals work:
 - ✓ Work harder with medical staff to develop and use prescribing guidelines
- Because of the negative impact of visitor restriction:
 - ✓ Try to avoid complete visitor lockdowns in the future

25

CDC 11/2023 (Pt1): Guidelines RE NH Residents with Acute Respiratory Illness Symptoms when COVID & Influenza Viruses are Co-circulating

- Place symptomatic residents on transmission-based precautions using PPE recommended for suspected COVID.
- Test any resident with symptoms of COVID-19 or influenza for both viruses.
- If resident is negative for both, consider additional viral (e.g., RSV) or bacterial testing.
- Place COVID or Flu positive residents in a private room. (Alternatives: room with other + resident, or room with special ventilation).
- Place residents who are COVID & Flu negative on standard precautions. Base additional precautions on suspected or confirmed diagnosis.

<u>Testing and Management Considerations for Nursing Home Residents with Acute Respiratory</u> Illness Symptoms when SARS-CoV-2 and Influenza Viruses are Co-circulating | CDC


CDC 11/2023 (Pt2): Guidelines RE NH Residents with Acute Respiratory Illness Symptoms when COVID & Influenza Viruses are Co-circulating

- If influenza test is positive or you strongly suspect influenza, treat with oseltamivir (Tamiflu).
- If diagnosis is COVID, treat using NIH guidelines.
- If diagnosis is bacterial pneumonia, use American Thoracic Society / Infectious Diseases Society of America guidelines.
- If influenza, treat exposed individuals with oseltamivir; if ≥ 2 influenza cases, expand prophylaxis to non-ill residents on unit(s) with cases.
- Encourage immunization: (a) for influenza and COVID of all residents and staff as updates available; (b) for RSV of residents 60+ (using shared decision-making); and (c) for pneumococcus of all unvaccinated residents 65+.

<u>Testing and Management Considerations for Nursing Home Residents with Acute Respiratory</u> Illness Symptoms when SARS-CoV-2 and Influenza Viruses are Co-circulating | CDC

27


Other Common Respiratory Infections



Case #1 76 year old non-smoker 5 days of illness Began with nasal congestion, sore throat Soon cough became main symptom, worse at night Small amount of sputum Decreased appetite, more tired but up

and about

Vital Signs				
	Temperature:	99.4°F		
	Blood Pressure:	130/75		
	Respiratory rate:	18		
	Pulse:	75		
	Pulse ox:	97%		
	Mental status:	Baseline		
	Lung exam:	Scattered wheezes		
What's the likely diagnosis?				
Could this be COVID-19?				



There is Plenty You CAN Do for Acute Bronchitis

Order Set for Acute Bronchitis

Obtain COVID test

Airborne isolation until COVID test is back

Reassure patient and/or family

Monitor vital signs and worsening signs or

symptoms

Encourage fluids and rest

Acetaminophen or NSAIDS for fever/pain

Masal saline spray/humidified air for

congestion

Cough medicine or inhaled bronchodilator

33

"...But the Family Expects an Antibiotic"

Studies show:

- Patient/family expectations for antibiotics are overestimated
- Satisfaction is <u>not</u> severely impacted when antibiotics not given
- Communication and education are key

Nursing staff have the opportunity to educate and reassure

BMJ. 1998 Sep 5;317(7159):637-42. Cochrane Database Syst Rev. 2013 Apr 30:4. J Gen Intern Med. 2014 Nov 6

How To Talk To Patients And Families About Viral Illness

- <u>Inform</u> that resident is ill and staff is helping them – by providing symptom relief and monitoring
- Advise on illness course
 - Colds: up to 1.5 weeks
 - Bronchitis: up to 3 weeks
- **Respond** to concerns
- Reassure that antibiotics not needed
 - explain risks
 - explain that you will monitor



BMJ. 2008;337:a437

35

What Could You Say to Concerned Family?



"His cough might last several more days to several weeks, and it may take him a while to feel better."

Respond to concerns about symptoms:

"We're going to help him feel more comfortable so his body can fight this virus. He'll need plenty of fluids and rest. Also, we'll give medicine for his fever and cough, and keep an eye on him."



If the Family Asks Specifically About Antibiotics

"His <u>chest cold</u> is caused by a virus, and antibiotics won't help viruses. Giving him antibiotics when they aren't needed can cause side effects and make it so that antibiotics won't work when he really needs them. We will monitor him closely for any change in condition that might indicate a need for antibiotics."

37

Case #2



- 78-year-old, smoker, COPD, on oxygen (2 L/min)
- 5 days of productive cough
- Increased dyspnea
- Pulse ox 93% (normal 93-95%)
- Temperature 100.0 °F
- Exam: rhinorrhea, nasal congestion, anterior wheezes.
- X-ray: no acute changes

What's the likely diagnosis?

Are Antibiotics Indicated?

Which COPD Exacerbations Benefit from Antibiotics?

- Cochrane systematic review:
 - large beneficial effects patients admitted to an ICU
 - For outpatients and inpatients, results inconsistent
- Guidelines for COPD exacerbation:
 - Mild disease: start with inhaled bronchodilator, consider oral steroids. If inadequate relief, consider antibiotic
 - Moderate / severe disease → inhaled bronchodilator, oral steroids, and antibiotics
 - Monitor for signs of pneumonia

39

Lest we Forget......Influenza

- Starts suddenly
- Fever and chills
- Dry cough
- Mild or moderate sore throat
- Fatigue and muscle aches
- Probability increases in "flu season"

RED = best to distinguish flu from other respiratory viruses.

When and Whom to Test for Flu

"Influenza testing should occur when any resident has signs and symptoms of influenza-like illness."


CDC defines influenza-like condition as an unexplained illness characterized by:

- Fever > 100°F, 37.8°C
 PLUS
- cough and/or sore throat

for details on lab testing, check CDC website

http://www.cdc.gov/flu/professionals/infectioncontrol/ltc-facility-guidance.htm

41



Pneumonia: "The 'Old Man's Friend'?"

43

Pneumonia Signs and Symptoms in NH Residents



- Abnormal vital signs
 - Fever
 - Respiratory rate > 25 (90% sensitive, 90% specific)
 - Tachycardia
- Pulse ox drop of >3% (about 75% sensitive and 75% specific)
- New localized rales on physical exam
- WBC ≥ 14,000 or left shift

Three Main Types of Pneumonia: Aspiration



Aspiration pneumonia

- Most common type of pneumonia in NH patients
- Affects 300,000 600,000Americans annually
- Oral bacteria predominate

<u>But</u>....Aspiration-related choking is not pneumonia

45

Three Main Types of Pneumonia: Other Bacterial



- Aspiration pneumonia
 - Most common type of pneumonia in NH patients
 - Affects 300,000 600,000Americans annually
 - Oral bacteria predominate
- Other bacterial pneumonia
 - Often spontaneous, can follow viral infection
 - Variety of organisms

Three Main Types of Pneumonia: Viral



- Aspiration pneumonia
 - Most common type of pneumonia in NH patients
 - Affects 300,000 600,000Americans annually
 - Oral bacteria predominate
- Other bacterial pneumonia
 - Often spontaneous, can follow viral infection
 - Variety of organisms
- Viral pneumonia
 - Common Causes: Flu and COVID-19
 - Develops more slowly

47

When Antibiotics May Not Be Needed in Pneumonia

- 1. Chemical pneumonitis due to aspiration
 - Symptoms and abnormal CXR usually resolve within 24 hours
 - Antibiotics indicated if CXR changes fail to resolve in 48 hours
- 2. Viral pneumonia/bronchitis
- 3. Palliative care (e.g. end-stage dementia)
 - William Osler: Pneumonia as "old man's friend"
 - Dyspnea is problem, treatment is oxygen, sedatives, opiates

To Sum it Up

Respiratory infection is more important than ever before in nursing home care.

Detection, diagnosis, and appropriate treatment require knowledge and the entire interdisciplinary team.