


Topics to Be Covered

- 1. Principles of geriatric medicine relevant to respiratory infection
- 2. How The COVID-19 pandemic has changed the way we think about respiratory infections
- 3. Other common respiratory infections to know and understand






Antibiotic Stewardship is Important

- Nursing homes have a higher prevalence of multidrug resistant organisms than hospitals
- Prescribing antibiotics "just in case" is no longer accepted practice
- Major targets for antibiotic stewardship:
- "Urine infection" this isn't an infection 1.
- "Bronchitis" and "sinusitis" that isn't bacterial 2.
- "Cellulitis" that isn't cellulitis 3.
- Antibacterial treatment of COVID 4.

Mobile Chest-X-Ray Limitations

- Many residents can't sit up or stay stable
- Portable cameras don't take great pictures
- Lack of previous films for comparison
- Radiologists disagree frequently on
- the presence or absence of infiltrates (K = 0.54)
- > pleural effusions (K = 0.8)
- ➢ hilar lymphadenopathy (K = 0.54)
- > mediastinal lymphadenopathy (K =0.49)

Loeb MB, et al. JAMDA 2006; 7: 2006, 7:416–419 Drinka PJ, et al. J AMDA 2006;7:467-469




Thickened Liquids Can't Prevent Aspiration



- Evidence does not support belief that thickened liquids reduce aspiration or pneumonia
- Diet modification leads to poor intake and greater use of supplements
- Posture adjustment (e.g. chin tuck) – limited benefit

Bottom line: Individualize, but do not torture residents

8



Cough Scares Nurses, Providers, and Families, Leading to Overtreatment

> Research Result: Cough Alone Increases 3x the likelihood of a LTC Resident Getting Antibiotics

How COVID Has Increased our Sophistication about Respiratory Infections


Different Viruses Spread Differently				
Infection	How It Spreads	Key to Prevention		
Influenza	Cough \rightarrow Droplets	- Droplet precautions		
Cold Viruses	Face \rightarrow Hand \rightarrow Surface;	 Hand washing, surgical mask 		
	Sneeze \rightarrow Droplets			
Norovirus	Bum → Hand → Surface	 Hand washing 		
COVID-19	Breath \rightarrow Microdroplets	- Airborne precautions		

The R₀ and Mortality Rate Determine Seriousness of an Infection COVID-19 Common Influenza Cold (unvaccinated) Contagiousness Between 6.0 1.3 2.5 & 8 (R₀) Overall Around Deadliness 0% 0.05% 0.5% * (Mortality) * Close to 0.05% with Vaccination and boosters


14


13

















Drop-Off in Antibody Levels after Immunization Is Steeper in Older Persons

Staff and Visitors Bring Respiratory Pathogens Into Your Facility

We <u>Can</u> (and Should) Treat COVID-19 in the Nursing Home

- Diagnose, monitor and support all patients with COVID-19 illness
- Paxlovid for mild to moderate COVID-19 in high- risk patients
- Indications for hospitalization
 - Oxygen requirement increasing (typically beyond 6 L/min)
 - Testing needed that is not available in the NH

Lessons from COVID to Apply in the Future

- Infection control measures WILL keep viruses out of facilities
 Have all staff wear masks as soon as flu or COVID is in your community
- ✓ Screen visitors for symptoms and temperature Because rapid COVID testing has been helpful:
- ✓ Have rapid COVID and Flu testing capacity in the future; possibly for other viruses as well
- Because antibiotics continue to be overprescribed:
- ✓ Work harder with medical staff to develop and use prescribing guidelines
 Because antivirals work:
- ✓ Work harder with medical staff to develop and use prescribing guidelines
 Because of the negative impact of visitor restriction:
 - ✓ Try to avoid complete visitor lockdowns in the future

CDC 11/2023 (Pt1): Guidelines RE NH Residents with Acute Respiratory Illness Symptoms when COVID & Influenza Viruses are Co-circulating

- Place symptomatic residents on transmission-based precautions using PPE recommended for suspected COVID.
- Test any resident with symptoms of COVID-19 or influenza for both viruses.
- If resident is negative for both, consider additional viral (e.g., RSV) or bacterial testing.
- Place COVID or Flu positive residents in a private room. (Alternatives: room with other + resident, or room with special ventilation).
- Place residents who are COVID & Flu negative on standard precautions. Base additional precautions on suspected or confirmed diagnosis.

Testing and Management Considerations for Nursing Home Residents with Acute Respiratory Illness Symptoms when SARS-CoV-2 and Influenza Viruses are Co-circulating | CDC


25


CDC 11/2023 (Pt2): Guidelines RE NH Residents with Acute Respiratory Illness Symptoms when COVID & Influenza Viruses are Co-circulating

- If influenza test is positive or you strongly suspect influenza, treat with oseltamivir (Tamiflu).
- If diagnosis is COVID, treat using NIH guidelines.
- If diagnosis is bacterial pneumonia, use American Thoracic Society / Infectious Diseases Society of America guidelines.
- If influenza, treat exposed individuals with oseltamivir; if >2 influenza cases, expand prophylaxis to non-ill residents on unit(s) with cases.
- Encourage immunization: (a) for influenza and COVID of all residents and staff as updates available; (b) for RSV of residents 60+ (using shared decision-making); and (c) for pneumococcus of all unvaccinated residents 65+.

Testing and Management Considerations for Nursing Home Residents with Acute Respiratory Illness Symptoms when SARS-CoV-2 and Influenza Viruses are Co-circulating | CDC


26








Vital Signs			
	Temperature:	99.4°F	
	Blood Pressure:	130/75	
	Respiratory rate:	18	
	Pulse:	75	
	Pulse ox:	97%	
	Mental status:	Baseline	
	Lung exam:	Scattered wheezes	
What's the likely diagnosis?			
	Could thi	s be COVID-19?	




Order Set for Acute Bronchitis Obtain COVID test Airborne isolation until COVID test is back Reassure patient and/or family Monitor vital signs and worsening signs or symptoms Encourage fluids and rest Acetaminophen or NSAIDS for fever/pain Nasal saline spray/humidified air for congestion

Cough medicine or inhaled bronchodilator

32







If the Family Asks Specifically About Antibiotics

"His <u>chest cold</u> is caused by a virus, and antibiotics won't help viruses. Giving him antibiotics when they aren't needed can cause side effects and make it so that antibiotics won't work when he really needs them. We will monitor him closely for any change in condition that might indicate a need for antibiotics."

Case #2		
 78-year-old, smoker, COPD, on oxygen (2 L/min) 5 days of productive cough Increased dyspnea Pulse ox 93% (normal 93-95%) Temperature 100.0 °F Exam: rhinorrhea, nasal congestion, anterior wheezes. X-ray: no acute changes 		
What's the likely diagnosis?		
Are Antibiotics Indicated?		
37		

Which COPD Exacerbations Benefit from Antibiotics?

- Cochrane systematic review:
 - large beneficial effects patients admitted to an ICU
 For outpatients and inpatients, results inconsistent

• Guidelines for COPD exacerbation:

- Mild disease: start with inhaled bronchodilator, consider oral steroids. If inadequate relief, consider antibiotic
- Moderate / severe disease → inhaled bronchodilator, oral steroids, and antibiotics
- Monitor for signs of pneumonia

38





When and Whom to Test for Flu

"Influenza testing should occur when any resident has signs and symptoms of influenza-like illness."
CDC defines influenza-like condition as an unexplained illness characterized by:
Fever > 100°F, 37.8°C


- PLUS
- cough and/or sore throat

for details on lab testing, check CDC website http://www.cdc.gov/flu/professionals/infectioncontrol/Itc-facility-guidance.htm






Pneumonia Signs and Symptoms in NH Residents



43




Most common type of

Three Main Types of Pneumonia: Aspiration

- pneumonia in NH patients - Affects 300,000 - 600,000
- Americans annually
- Oral bacteria predominate


But....Aspiration-related choking is not pneumonia

44



45

Three Main Types of Pneumonia: Viral



46

When Antibiotics May Not Be Needed in Pneumonia

1. Chemical pneumonitis due to aspiration

Symptoms and abnormal CXR usually resolve within 24 hours >Antibiotics indicated if CXR changes fail to resolve in 48 hours

- 2. Viral pneumonia/bronchitis
- 3. Palliative care (e.g. end-stage dementia)
 - William Osler: Pneumonia as "old man's friend"
 - Dyspnea is problem, treatment is oxygen, sedatives, opiates

To Sum it Up

Respiratory infection is more important than ever before in nursing home care.

Detection, diagnosis, and appropriate treatment require knowledge and the entire interdisciplinary team.